

Axolight

pricelist
June 2025

Axolight

pricelist
June 2025

AXOLIGHT - PUBLIC PRICELIST 2025 - valid from june 1st 2025

Collection/Installation	Description	VAT not included €
ALYSOID		
- Alysoïd pendant	Alysoïd 34 nickel	860
	Alysoïd 34 natural brass	750
	Alysoïd 43 nickel	960
	Alysoïd 43 natural brass	790
	Alysoïd 51x100 nickel	1040
	Alysoïd 51x100 natural brass	840
	Alysoïd 51x170 nickel	1390
	Alysoïd 51x170 natural brass	950

AMY		
- Amy adjustable downlight architectural	Amy 6	125
	Amy 10	150
	Amy 724	160
	CEDLTC00135 On/off IP20	36
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95

AURA		
- Aura wall	Aura wall	2850
- Aura ceiling	Aura ceiling P30	3500
	Aura ceiling APX	4300
	Aura ceiling G30	5800
	Aura ceiling AGR	7700
- Aura pendant	Aura single 47	3850
	Aura single 60	5490
	Aura double 47	5970
	Aura double 60	8670

BELL		
- Bell floor	Bell floor 60	1050
	Bell floor 90	1790
	Bell floor 118	2550
- Bell wall	Bell wall	270
- Bell ceiling	Bell ceiling 60	840
	Bell ceiling 90	1490
	Bell ceiling 118	2180
	Bell ceiling 180	4730
- Bell pendant	Bell pendant E27 45	740
	Bell pendant E27 60	996
	Bell pendant E27 90	2050
	Bell pendant E27 118	2790
	Bell pendant E27 180	6770
	Bell pendant LED 90	3390
	Bell pendant LED 118	3970
	Bell pendant LED 180	7990

BENDER		
- Bender table	Bender table	265
- Bender floor	Bender floor 120	770
	Bender floor 160	840

BOL		
- Bol bollard outdoor	Bol 40	420
	Bol 60	440
	Bol 120	460
	Bol 160	480
	Anchor bolt for concrete plinth	65
	Earth spike	45
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDALV00007 On/off IP67	72
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDALV00004 Dimmable IP67, DALI 2	115

BUL-BO		
- Bul-bo table	Bul-bo table chrome/black	830
	Bul-bo table black/black	735
- Bul-bo floor	Bul-bo floor chrome/black	2340
	Bul-bo floor black/black	1790
	Bul-bo floor - power supply	125
- Bul-bo wall	Bul-bo wall chrome	660
	Bul-bo wall black	530

CLAVIUS		
- Clavius table	Clavius table small chrome	355
	Clavius table small gold	397
	Clavius table medium chrome	690
	Clavius table medium gold	780
	Clavius table big chrome	940
	Clavius table big gold	990
- Clavius floor	Clavius floor chrome	2060
	Clavius floor gold	2260
- Clavius wall	Clavius wall BR chrome	385
	Clavius wall BR gold	430
	Clavius wall 30	290
- Clavius ceiling	Clavius ceiling	410
- Clavius pendant	Clavius pendant 60 chrome	390
	Clavius pendant 60 gold	440
	Clavius pendant 100 chrome	787
	Clavius pendant 100 gold	847

CLOUDY		
- Cloudy pendant	Cloudy pendant	3270

DODOT		
- Dodot wall/ceiling	Dodot optic-reflector	320
	Dodot optic-lens	350

DOT		
- Dot steplight architectural	Dot round single emission	85
	Dot round double emission	90
	Dot square single emission	90
	Dot square double emission	95
	Recessing box 60x80mm	12
	Recessing box 33x50mm	8
	CEDLTC00135 On/off IP20	36
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98

EGO		
- Ego wall/ceiling	Ego	290
	CEDLTC00123 On/off	35
	CEDLTC00124 Dimmable IP20, IGBT-TRIAC	75
	CEDLTC00125 Dimmable IP20, DALI, 1-10V, PUSH	125
	CEDLTC00126 Dimmable IP20, DALI 2	85
	CEDSCC00400 Dimmable IP20, ELV, IGBT-TRIAC, 0-10V/1-10V	65

FAIRY		
- Fairy pendant	Fairy recessed single pendant glass crystal	345
	Fairy recessed single pendant glass amber	370
	Fairy single pendant with standard canopy glass crystal	460
	Fairy single pendant with standard canopy glass amber	485
	Fairy pendant cluster 3 glass crystal	1150
	Fairy pendant cluster 3 glass amber	1230
	Fairy pendant cluster 6 glass crystal	2170
	Fairy pendant cluster 6 glass amber	2330
	Fairy pendant cluster 12 round canopy glass crystal	4380
	Fairy pendant cluster 12 round canopy glass amber	4690
	Fairy pendant cluster 12 elliptical canopy glass crystal	4300
	Fairy pendant cluster 12 elliptical canopy glass amber	4620
	CEDLTC00100 On/off IP20	35
	CEDLTC00103 Dimmable IP20, 1-10V - Max 25W	125
	CEDLTC00104 Dimmable IP20, DALI 2, 1-10V, PUSH - Max 25W	130
	CEDSCC00400 Dimmable IP20, ELV, IGBT-TRIAC, 0-10V/1-10V	65
CEDLTC00143 On/off IP20	65	

FLOAT		
- Float table	Float table	215
- Float floor	Float floor	290

HOOPS		
- Hoops ceiling	Hoops ceiling 2 painted	990
	Hoops ceiling 2 chrome	1190
	Hoops ceiling 2 gold	1230
	Hoops ceiling 3 painted	1070
	Hoops ceiling 3 chrome	1270
	Hoops ceiling 3 gold	1350
- Hoops pendant	Hoops pendant 2 painted	1530
	Hoops pendant 2 chrome	1690
	Hoops pendant 2 gold	1780
	Hoops pendant 3 painted	1630
	Hoops pendant 3 chrome	1790
	Hoops pendant 3 gold	1880
	Hoops pendant 4 painted	1750
	Hoops pendant 4 chrome	1980
	Hoops pendant 4 gold	2150
	Hoops pendant 6 painted	1870
	Hoops pendant 6 chrome	2140
	Hoops pendant 6 gold	2360

HOP		
- Hop uplight outdoor	Hop 6 painted	160
	Hop 6 INOX/natural brass	180
	Hop 10 painted	175
	Hop 10 INOX/natural brass	195
	Hop 724 painted	190
	Hop 724 INOX/natural brass	210
	Recessing box - Hop 6	20
	Recessing box - Hop 10/724	20
	CEDLTC00135 On/off IP20	36
	CEDALV00006 On/off IP67	92
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98
	CEDALV00003 Dimmable IP67, DALI 2	98
	CEDLTC00136 On/off IP20	55

	CEDLTC00137 On/off IP20	95
	CEDALV00007 On/off IP67	72
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDALV00004 Dimmable IP67, DALI 2	115

JEWEL

- Jewel pendant	Jewel recessed single pendant	190
	Jewel single pendant with standard canopy	290
	Jewel pendant cluster 3	750
	Jewel pendant cluster 6	1350
	Jewel pendant cluster 12 round canopy	2750
	Jewel pendant cluster 12 elliptical canopy	2660
	CEDHEP00001 On/off IP20	28
	CEDLTC00146 Dimmable IP20, PUSH, DALI 2, 0/1-10V	80
	CEDLTC00124 Dimmable IP20, IGBT-TRIAC	75
	CEDLTC00149 On/off IP20	42
	CEDLTC00147 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
- Jewel Pivot	Jewel single pendant for Pivot	180
- Jewel 24VDC Track	Jewel single pendant for 24VDC Track	230

KALEIDOLIGHT

- Kaleidolight table	Kaleidolight	1140
-----------------------------	--------------	------

KISS

- Kiss table	Kiss table 10	220
	Kiss table 16	280
	Kiss table 25	490
- Kiss wall/ceiling	Kiss wall/ceiling 10 with standard canopy	190
	Kiss wall/ceiling 16 with standard canopy	230
	Kiss wall/ceiling 25 with standard canopy	330
	Kiss wall/ceiling 10 recessed	160
	Kiss wall/ceiling 16 recessed	190
	Kiss wall/ceiling 25 recessed	280
	CEDACT00003 On/off IP20	35
	CEDLTC00144 Dimmable IP20, PUSH, DALI 2, 0/1-10V	80
	CEDHEP00001 On/off IP20	28
	CEDLTC00146 Dimmable IP20, PUSH, DALI 2, 0/1-10V	80
	CEDLTC00148 On/off IP20	42
	CEDLTC00145 Dimmable IP20, PUSH, DALI 2, 0/1-10V	80
- Kiss pendant	Kiss single pendant 10 with standard canopy	260
	Kiss recessed single pendant 10	220
	Kiss single pendant 16 with standard canopy	290
	Kiss recessed single pendant 16	250
	Kiss pendant cluster 3 sphere 10	850
	Kiss pendant cluster 6 sphere 10	1550
	Kiss pendant cluster 12 round canopy sphere 10	3070
	Kiss pendant cluster 12 elliptical canopy sphere 10	2990
	CEDACT00003 On/off IP20	35
	CEDLTC00144 Dimmable IP20, PUSH, DALI 2, 0/1-10V	80
	CEDHEP00001 On/off IP20	28
	CEDLTC00146 Dimmable IP20, PUSH, DALI 2, 0/1-10V	80
	CEDLTC00143 On/off IP20	65
	CEDLTC00139 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98

KWIC

- Kwic floor	Kwic floor	840
- Kwic wall/ceiling	Kwic wall/ceiling 36	470
	Kwic wall/ceiling 48	490
- Kwic pendant	Kwic pendant 36	720
	Kwic pendant 48	750

LAYERS		
- Layers pendant	Layers A	5350
	Layers B	10770
	Layers C	8840
	Layers D	5350
	Layers E	4890
	Layers F	4890

LESS		
- Less trimless downlight architectural	Less 6	105
	Less 10	115
	Less 724	120
	Recessing frame - Less 6	45
	Recessing frame - Less 10/724	50
	CEDLTC00135 On/off IP20	36
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95

LIAISON		
- Liaison pendant	Liaison single pendant 32	470
	Liaison single pendant 46	495
	Liaison double pendant 56	770
	Liaison double pendant 84	880
	Liaison single pendant large sizes	520
	Liaison double pendant large sizes	950
	Liaison quadruple pendant large sizes	1550

LIK		
- Lik wall	Lik wall	190

MANIFESTO		
- Manifesto wall	Manifesto painted	720
	Manifesto mirror	1150

MANTO		
- Manto pendant	Manto pendant 70	1390
	Manto pendant 120	1530
	Manto pendant 180	1740

MARK		
- Mark 24VDC Track	Mark T 6W	240
	Mark T 10W	270
- Mark projector architectural	Mark 6 with standard canopy	240
	Mark 6 recessed	190
	Mark 10 with standard canopy	270
	Mark 10 recessed	220
	CEDLTC00135 On/off IP20	36
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98

MIST		
- Mist downlights outdoor	Mist 6 painted	165
	Mist 6 INOX/natural brass	185
	Mist 10 painted	180
	Mist 10 INOX/natural brass	200
	Mist 724 painted	195
	Mist 724 INOX/natural brass	215
	Recessing box - Mist 6	20
	Recessing box - Mist 10/724	20
	CEDLTC00135 On/off IP20	36
	CEDALV00006 On/off IP67	92
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52

	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98
	CEDALV00003 Dimmable IP67, DALI 2	98
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDALV00007 On/off IP67	72
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDALV00004 Dimmable IP67, DALI 2	115

MOUNTAINVIEW		
- Mountainview pendant	Mountainview pendant	2550

MUSE		
- Muse wall/ceiling	Muse E27 40	230
	Muse E27 60	285
	Muse E27 80	495
	Muse E27 120	640
	Muse EVO 40	440
	Muse EVO 60	480
	Muse EVO 80	640
	Muse EVO 120	750

NELLY		
- Nelly wall/ceiling	Nelly E27 round 60	245
	Nelly E27 round 100	390
	Nelly E27 square 60	285
	Nelly E27 square 100	440
	Nelly EVO round 60	450
	Nelly EVO round 100	630
	Nelly EVO square 60	450
	Nelly EVO square 100	630

NEST		
- Nest semi-recessed downlight architectural	Nest 6	97
	Nest 10	110
	Nest 724	125
	Recessing box - Nest 6	15
	Recessing box - Nest 10/724	15
	CEDLTC00135 On/off IP20	36
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95

ORBIS		
- Orbis wall/ceiling	Orbis 32 opal	340
	Orbis 32 ribbed	360
	Orbis 44 opal	470
	Orbis 44 ribbed	510
	Orbis 60 opal	720
	Orbis 60 ribbed	790

ORCHID		
- Orchid table	Orchid table	390
- Orchid floor	Orchid floor	990
- Orchid wall	Orchid wall	190
- Orchid pendant	Orchid vertical pendant	1080
	Orchid horizontal pendant	1290

PARALELA		
- Paralela table	Paralela table	395
	Paralela table - power supply	85
- Paralela floor	Paralela floor	780
	Paralela floor - power supply	85

- Paralela wall	Paralela wall single	340
	Paralela double short	650
	Paralela double long	1050
	CEDMWC00207 On/off IP42	30
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDLTC00136 On/off IP20	55
	CEDALV00007 On/off IP67	72
- Paralela pendant	Paralela single pendant 93	720
	Paralela single pendant 118	760
	Paralela double pendant 183	1060
	Paralela triple pendant 199	1790
	Paralela triple pendant vertical SM	1240
	Paralela triple pendant vertical LA	1480
	Paralela - Recessed canopy	57
	Paralela - Rectangular canopy	160
	Paralela - Round canopy	230
	Paralela - Cluster vertical canopy	140
	CEDALV00007 On/off IP67	72
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDLTC00129 Dimmable IP52, 0/1-10V	90
	CEDMWC00204 Dimmable IP67, DALI	125

PEA		
- Pea steplight outdoor	Pea painted	95
	Pea INOX/natural brass	110
	Recessing box - Pea	12
	CEDLTC00134 On/off IP20	36
	CEDALV00005 On/off IP67	92
	CEDLTC00139 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00001 Dimmable IP20, PUSH, IGBT-TRIAC	52
	CEDLTC00141 Dimmable IP20, PUSH, DALI 2	98
	CEDALV00002 Dimmable IP67, DALI 2	98

PEDRO		
- Pedro wall	Pedro wall 10	190
	Pedro wall 30	260
	Pedro wall 50	370
- Pedro ceiling	Pedro ceiling	180

PIVOT		
- Pivot system	Pivot - Canopy	230
	Pivot - Rods 35	28
	Pivot - Rods 65	44
	Pivot - Rods 100	70
	Pivot - Spot	170
	Pivot - Satellite	100
	Pivot - Adjustable spotlight	180
	Pivot - Pendant cylinder	190
	Pivot - Pendant Jewel	190
	Pivot - Pendant Urban mini	230
	Pivot - Pendant Virtus	230

POSES		
- Poses wall	Poses paralelepiped	3850
	Poses stairs	2030
	CEDLTC00137 On/off IP20	95
	CEDMWC00202 Dimmable IP67, 1-10V	125
	CEDMWC00203 Dimmable IP67, 1-10V	175
	CEDMWC00204 Dimmable IP67, DALI	125
	CEDMWC00205 Dimmable IP67, DALI	175
- Poses pendant	Poses single pendant 82	475
	Poses single pendant 142	575
	Poses pendant cross 82	1650
	Poses pendant cross 142	2080
	Poses pendant zigzag 82	1740

	Poses - Recessed canopy	57
	Poses - Rectangular canopy	160
	Poses - Round canopy	230
	CEDALV00007 On/off IP67	72
	CEDLTC00129 Dimmable IP52, 0/1-10V	90
	CEDMWC00204 Dimmable IP67, DALI	125
	CEDALV00001 Dimmable IP20, PUSH, DALI 2, 0/1-10V	95
	CEDLTC00138 On/off IP20	180
	CEDMWC00203 Dimmable IP67, 1-10V	175
	CEDMWC00204 Dimmable IP67, DALI	125
	CEDMWC00205 Dimmable IP67, DALI	175
- Poses sistema		
	Poses - Recessed canopy	57
	Poses - Rectangular canopy	160
	Poses - Round canopy	230

POT		
- Pot optic downlight architectural		
	Pot 6	97
	Pot 10	110
	Pot 724	125
	Recessing box - Pot 6	15
	Recessing box - Pot 10/724	15
	CEDLTC00135 On/off IP20	36
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95

RUFY		
- Ruffy ceiling outdoor		
	Rufy 6	190
	Rufy 10	210
	Rufy 724	245
	CEDLTC00135 On/off IP20	36
	CEDALV00006 On/off IP67	92
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98
	CEDALV00003 Dimmable IP67, DALI 2	98
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDALV00007 On/off IP67	72
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDALV00004 Dimmable IP67, DALI 2	115

SKIN		
- Skin ceiling		
	Skin ceiling 70	1390
	Skin ceiling 100	2330
	Skin ceiling 160	5490
- Skin pendant		
	Skin pendant E27 70	1780
	Skin pendant E27 100	2870
	Skin pendant E27 160	6130
	Skin pendant LED 100	3980
	Skin pendant LED 160	6620

SKIRT		
- Skirt ceiling		
	Skirt ceiling 70	1470
	Skirt ceiling 100	2550
	Skirt ceiling 150	4490
	Skirt double ceiling 100	3220
	Skirt double ceiling 150	5690
- Skirt pendant		
	Skirt single pendant E27 50	950
	Skirt single pendant E27 70	1470
	Skirt single pendant E27 100	2580
	Skirt single pendant E27 150	4720
	Skirt single pendant LED 100	3750

	Skirt single pendant LED 150	5680
	Skirt double pendant E27 100	3080
	Skirt double pendant E27 150	5450
	Skirt double pendant LED 100	4350
	Skirt double pendant LED 150	6850

SLIM		
- Slim 24VDC Track	Slim T 6W	230
	Slim T 10W	260
- Slim projector architectural	Slim 6 with standard canopy	230
	Slim 6 recessed	180
	Slim 10 with standard canopy	260
	Slim 10 recessed	210
	CEDLTC00135 On/off IP20	36
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98

SPIKE		
- Spike projector outdoor	Spike 6 40cm	290
	Spike 6 60cm	310
	Spike 6 90cm	330
	Spike 6 120cm	350
	Spike 10 40cm	315
	Spike 10 60cm	335
	Spike 10 90cm	355
	Spike 10 120cm	375
	Spike 724 40cm	340
	Spike 724 60cm	360
	Spike 724 90cm	380
	Spike 724 120cm	400
	CEDLTC00135 On/off IP20	36
	CEDALV00006 On/off IP67	92
	CEDLTC00140 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00002 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00142 Dimmable IP20, PUSH, IGBT-TRIAC	98
	CEDALV00003 Dimmable IP67, DALI 2	98
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
CEDALV00007 On/off IP67	72	
CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95	
CEDALV00004 Dimmable IP67, DALI 2	115	

SPILLRAY EVO		
- Spillray evo wall	Spillray evo wall crystal	330
	Spillray evo wall grey	450
	Spillray evo wall bronze	510
	CEDMWC00207 On/off IP42	30
- Spillray evo ceiling	Spillray evo ceiling crystal with standard canopy	290
	Spillray evo ceiling grey with standard canopy	410
	Spillray evo ceiling bronze with standard canopy	470
	Spillray evo ceiling crystal recessed	260
	Spillray evo ceiling grey recessed	390
	Spillray evo ceiling bronze recessed	440
	CEDMWC00207 On/off IP42	30
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
- Spillray evo pendant	Spillray evo single pendant 8 crystal with standard canopy	360
	Spillray evo single pendant 8 grey with standard canopy	470
	Spillray evo single pendant 8 bronze with standard canopy	530
	Spillray evo single pendant 8 crystal recessed	330
	Spillray evo single pendant 8 grey recessed	440
	Spillray evo single pendant 8 bronze recessed	500
	Spillray evo single pendant 10 crystal with standard canopy	370
	Spillray evo single pendant 10 grey with standard canopy	490
	Spillray evo single pendant 10 bronze with standard canopy	550
	Spillray evo single pendant 10 crystal recessed	340

	Spillray evo single pendant 10 grey recessed	450
	Spillray evo single pendant 10 bronze recessed	510
	Spillray evo single pendant 14 crystal with standard canopy	410
	Spillray evo single pendant 14 grey with standard canopy	550
	Spillray evo single pendant 14 bronze with standard canopy	620
	Spillray evo single pendant 14 crystal recessed	370
	Spillray evo single pendant 14 grey recessed	510
	Spillray evo single pendant 14 bronze recessed	580
	Spillray evo pendant cluster 3 crystal	1070
	Spillray evo pendant cluster 3 grey	1450
	Spillray evo pendant cluster 3 bronze	1620
	Spillray evo pendant cluster 6 crystal	1990
	Spillray evo pendant cluster 6 grey	2760
	Spillray evo pendant cluster 6 bronze	3110
	Spillray evo pendant cluster 12 round canopy crystal	3920
	Spillray evo pendant cluster 12 round canopy grey	5450
	Spillray evo pendant cluster 12 round canopy bronze	6120
	Spillray evo pendant cluster 12 elliptical canopy crystal	3840
	Spillray evo pendant cluster 12 elliptical canopy grey	5450
	Spillray evo pendant cluster 12 elliptical canopy bronze	6050
	CEDMWC00207 On/off IP42	30
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDALV00008 On/off IP20	55

STEP		
- Step steplight architectural	Step round	87
	Step square	95
	Recessing box - Step	12
	CEDLTC00134 On/off IP20	36
	CEDLTC00139 Dimmable IP20, PUSH, DALI 2, 0/1-10V	98
	CEDACT00001 Dimmable IP20, PUSH, DALI 2	52
	CEDLTC00141 Dimmable IP20, PUSH, IGBT-TRIAC	98

TESSY		
- Tessa ceiling	Tessa ceiling 60 pongé	740
	Tessa ceiling 60 cotonette	650
	Tessa ceiling 80 pongé	1190
	Tessa ceiling 80 cotonette	1070
- Tessa pendant	Tessa pendant 60 pongé	1090
	Tessa pendant 60 cotonette	980
	Tessa pendant 80 pongé	1590
	Tessa pendant 80 cotonette	1480

TRACK 24VDC		
- Track 24VDC system	Track 24VDC surface 1mt	98
	Track 24VDC surface 2mt	195
	Track 24VDC surface 3mt	290
	Track 24VDC trimless 1mt	108
	Track 24VDC trimless 2mt	205
	Track 24VDC trimless 3mt	300
	Mark T 6W	240
	Mark T 10W	270
	Slim T 6W	230
	Slim T 10W	260
	Jewel single pendant for 24VDC Track	230
	Virtus single pendant for 24VDC Track	230
	Track surface - Live-end	39
	Track surface - Electrical straight joint	35
	Track surface - Mechanical straight joint	25
	Track surface - Electrical L joint	95
	Track surface - Mechanical L joint	135
	Track surface - Dead end	15
	Track surface - Track cover 300 cm	80
	Track surface - Suspension kit	75
	Track surface - Reinforcing bracket	20
	Track trimless - Live-end	39
	Track trimless - Electrical straight joint	35
	Track trimless - Mechanical straight joint	25

	Track trimless - Electrical L joint	95
	Track trimless - Mechanical L joint	110
	Track trimless - Dead end	10
	Track trimless - Reinforcing bracket	12
	Track trimless - Bracket for trimless installation	25
	Track trimless - Track cover 300 cm	80
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDLTC00138 On/off IP20	180
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDKGP00001 Dimmable IP20, PUSH, DALI 2	115

UKIYO		
- Ukiyo wall/ceiling	Ukiyo E27 55x55	370
	Ukiyo E27 55x110	530
	Ukiyo E27 110x110	680
	Ukiyo EVO 55x55	470
	Ukiyo EVO 55x110	670
	Ukiyo EVO 110x110	930

U-LIGHT		
- U-Light wall/ceiling	U-Light wall/ceiling 90 with standard canopy	2090
	U-Light wall/ceiling 120 with standard canopy	2540
	U-Light wall/ceiling 160 with standard canopy	2910
	U-Light wall/ceiling 180 with standard canopy	3600
	U-Light wall/ceiling 90 recessed	1870
	U-Light wall/ceiling 120 recessed	2250
	U-Light wall/ceiling 160 recessed	2560
	U-Light wall/ceiling 180 recessed	3080
	CEDMWC00202 Dimmable IP67, 1-10V	125
	CEDMWC00203 Dimmable IP67, 1-10V	175
	CEDMWC00204 Dimmable IP67, DALI	125
	CEDMWC00205 Dimmable IP67, DALI	175
- U-Light pendant	U-Light pendant bell 90	2510
	U-Light pendant bell 120	3050
	U-Light pendant bell 160	3530
	U-Light pendant circle 90 with standard canopy	2110
	U-Light pendant circle 120 with standard canopy	2630
	U-Light pendant circle 160 with standard canopy	3010
	U-Light pendant circle 180 with standard canopy	3520
	U-Light pendant circle 90 recessed	1890
	U-Light pendant circle 120 recessed	2280
	U-Light pendant circle 160 recessed	2650
	U-Light pendant circle 180 recessed	3030
	CEDMWC00202 Dimmable IP67, 1-10V	125
	CEDMWC00203 Dimmable IP67, 1-10V	175
	CEDMWC00204 Dimmable IP67, DALI	125
	CEDMWC00205 Dimmable IP67, DALI	175

URBAN		
- Urban ceiling	Urban ceiling M	290
	Urban ceiling G	340
- Urban pendant	Urban pendant small with standard canopy	370
	Urban pendant small recessed	320
	Urban pendant large with standard canopy	420
	Urban pendant large recessed	370

URBAN MINI		
- Urban mini ceiling	Urban mini ceiling M	240
	Urban mini ceiling G	270
- Urban mini pendant	Urban mini pendant small with standard canopy	300
	Urban mini pendant small recessed	230
	Urban mini pendant medium with standard canopy	310
	Urban mini pendant medium recessed	240
	Urban mini pendant large with standard canopy	360
	Urban mini pendant large recessed	270

	CEDHEP00001 On/off IP20	28
	CEDLTC00146 Dimmable IP20, PUSH, DALI 2, 0/1-10V	80
	CEDLTC00124 Dimmable IP20, IGBT-TRIAC	75

VELVET		
---------------	--	--

- Velvet ceiling	Velvet ceiling 70	1330
	Velvet ceiling 100	2520
	Velvet ceiling 160	5980
- Velvet pendant	Velvet pendant E27 50	1040
	Velvet pendant E27 70	1720
	Velvet pendant E27 100	3440
	Velvet pendant E27 160	7460
	Velvet pendant LED 100	4680
	Velvet pendant LED 160	9440

VIRTUS		
---------------	--	--

- Virtus pendant	Virtus pendant with standard canopy	310
	Virtus pendant recessed	230
	CEDHEP00001 On/off IP20	28
	CEDLTC00146 Dimmable IP20, PUSH, DALI 2, 0/1-10V	80
	CEDLTC00124 Dimmable IP20, IGBT-TRIAC	75

WALLY		
--------------	--	--

- Wally wall outdoor	Wally single emission	260
	Wally double emission	380
	CEDLTC00136 On/off IP20	55
	CEDLTC00137 On/off IP20	95
	CEDALV00007 On/off IP67	72
	CEDALV00001 Dimmable IP20, PUSH, DALI2, 0/1-10V	95
	CEDALV00004 Dimmable IP67, DALI 2	115

AXO LIGHT S.r.l.
Socio Unipersonale
via Treviso 56
30037 Scorzè (VE) - ITALY
ph. +39.041.58.45.193

www.axolight.it

PART OF

DEXELANCE



Axolight

via Treviso 56

30037 Scorzè (VE) - ITALY

ph. +39.041.58.45.193

www.axolight.it